Form P	ГΟ	-14	49	U.S. Department of Commerce	ATTY. DOCK	ET NO. 879.1.007	SERIAL NO	SERIAL NO. (Unknown)			
(REV. 8				Parent and Trademark Office	APPLICANT(S) Jun Xu et al.						
INFORMA CITATION (Use several s	I				FILING DATE April 13, 2004		GROUP (U	GROUP (Unknown)			
				CUMENTS							
Examiner Initial				IT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE		
JF!		6,268,085			7/01	Manthiram et al.	429	224	 		
									<u></u>		
FOREIGN F	ATE	NT I	ocui	MENTS				<u> </u>			
			CUME	ENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	YES	NO	
		-							123		
	_	1			<u> </u>				<u> </u>		
OTHER DO	R DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) Amine, K.; Yasuda, H.; Yamachi, M., 'B-FeOOH, a new positive electrode material for lithium secondary batteries'; Elsevier Journal of Power Sources Vol. 81-82, pages 221-223, 1999.										
		Matsumura, T.; Kanno, R.; Inaba, Y.; Kawamoto, Y.; Takano, M.; "Synthesis, Structure, and Electrochemical Properties of a New Cathode Material, LiFeO ₂ , with a Tunnel Structure"; Journal of the Electrochemical Society, Vol. 149, No. 12, pages									
			H	A1509-A1513; 10/15/2002. Kanno, R.; Shirane, T.; Inaba, Y.; Kawamoto, Y.; "Synthesis and electrochemical properties of lithium iron oxides with layer-related structures"; Elsevier Journal of Power Sources Vol. 68, pages. 145-152, 1997.							
			Shirane, T.; Kanno, R.; Kawamoto, Y.; Takeda, Y.; Takano, M.; Kamiyama, T.; Izumi, F.; 'Structure and physical properties of lithium iron oxide, LiFeO ₂ , synthesized by ionic exchange reaction', Elsevier Solid State Ionics, Vd. 79, pages. 227-233 1995.								
	 	-		Yun Sung Lee; Chong Seung Yoon; Yang Kook Sun; Kobayakawa, K.; Yuichi Sato; "Synthesis of nano-crystalline LiFeO ₂ material with advanced battery performance"; Elsevier Electrochemistry Communications Vol. 4, pages 727-731, 7/31/2002.							
		Sakurai, Y.; Arai, H.; Yamaki, JI.; "Preparation of electrochemically active α-LiFeO₂ at low temperature"; Elsevier Solid State Ionics, Vol. 113-115, pages 29-34, 9/14/1998.									
		K. Kanamura, H. Sakaebe, C. Zhen and Z Takehara; Application of FeOCI Derivative for a Secondary Lithium Battery - I. Discharge and Charge Characteristics of Amorphous FeOOH Prepared by Ion Exchange Reaction of FeOCI with Antiline Journal of Electrochemical Society, Vol. 138, No. 10, pages 2971-2975, October 1991.									
		K. Kanamura, H. Sakaebe and Z. Takehara; "Application of FeOCI derivatives as cathode materials for a secondary lithium battery - II Comparison of the cischarge and charge characteristics of γ-FeOOH prepared from the intercalation compound of FeOCI and 4-aminopyridine with those of FeOOH intercalated with Aniline"; Elsevier Sequola, Journal of Power Sources, Vo. 40, pages 291-298, 6/30/1992.									
		Kanno, R.; Shirane, T.; Kawamota, Y.; Takeda, Y.; Takano, M.; Chashi, M.; Yamaguchi, Y.; "Synthesis, Structure, and Electrochemical Properties of a New Lithium Iron Oxide, LiFeO ₂ , with a Corrugated Layer Structure"; Electrochemical Society Vol. 143, No. 8, pages 2435-2441, August 1996.									
		H. Sakaebe, Shunichi Higuchi, K. Kanamura, H. Fujimoto and Z. Takehara; Discharge and Charge Characteristics of Amorphous FeOOH Including Aniline (a _m -FeOOH) — Influence of Preparation Conditions on Discharge and Charge Characteristics"; Journal of Electrochemical Society, Vol. 142, No. 2, pages 360-365, February 1995.									
		D. E. Reisner, Alvin J. Salkind, Peter R. Strutt, T. Danny Xiao, "Nickel hydroxide and other nanophase cathode materials for rechargeable batteries"; Esevier Journal of Power Sources Vol. 65, pages 231-233, 1997.									
Examiner							DATE CONSIDERE	/25/	06		
* EXAMIN	ER:	Initia	al if cita	ation considered, whether of	er not citation is	in conformance with MP				mance	